

1. 英文原著・総説

- (1) Anetai Y, Sumida I, Takahashi Y, Yagi M, Ota S, Mizuno H, Ogawa K. Reference respiratory waveforms by minimum jerk model analysis. *Med Phys.* 42 (9):5066-74, 2015
- (2) Ariga T., 1, Toita T., Kato S., Kazumoto T., Kubozono M., Tokumaru S., Eto H., Nishimura T., Niibe Y., Nakata K., Kaneyasu Y., Nonoshita T., Uno T., Ohno T., Iwata H., Harima Y., Wada H., Yoshida K., Gomi H., Numasaki H., Teshima T., Yamada S., Nakano T. Treatment outcomes of patients with FIGO stage I/II uterine cervical cancer treated with definitive radiotherapy: a multi-institutional retrospective research study. *J. Radiat. Res.* 56(5):841-8, 2015
- (3) Fujiwara M, Isohashi F, Mabuchi S, Yoshioka Y, Seo Y, Suzuki O, Sumida I, Hayashi K, Kimura T, Ogawa K. Efficacy and safety of nedaplatin-based concurrent chemoradiotherapy for FIGO Stage IB2-IVA cervical cancer and its clinical prognostic factors. *J Radiat Res* 2015;56:305-14
- (4) Hayashi K, Araki N, Koizumi M, Suzuki O, Seo Y, Naka N, Isohashi F, Myoui A, Yoshioka Y, Teshima T, Ueda T, Yoshikawa H, Ogawa K. Long-term results of intraoperative extracorporeal irradiation of autogenous bone grafts on primary bone and soft tissue malignancies. *Acta Oncol* 2015;54:138-41
- (5) Hayashi K, Isohashi F, Akino Y, Wakai N, Mabuchi S, Suzuki O, Seo Y, Ootani Y, Sumida I, Yoshioka Y, Kimura T, Ogawa K. Estimation of the total rectal dose of radical external beam and intracavitary radiotherapy for uterine cervical cancer using the deformable image registration method. *J Radiat Res* 2015;56:546-52
- (6) Hayashi K, Isohashi F, Ogawa K, Oikawa H, Onishi H, Ito Y, Takemoto M, Karasawa K, Imai M, Kosaka Y, Yamazaki H, Yoshioka Y, Nemoto K, Nishimura Y, Japanese Radiation Oncology Study Group (JROSG). Postoperative external irradiation of patients with primary biliary tract cancer: A multicenter retrospective study. *Anticancer Res* 2015;35:6231-7
- (7) Hirata T, Teshima T, Nishiyama K, Ogawa K, Otani K, Kawaguchi Y, Konishi K, Tomita Y, Takahashi H, Ohigashi H, Ishikawa O. Histopathological effects of preoperative chemoradiotherapy for pancreatic cancer: An analysis for the impact of radiation and gemcitabine doses, *Radiother Oncol* 114:122-27, 2015
- (8) Inohara H, Takenaka Y, Yoshii T, Nakahara S, Yamamoto Y, Tomiyama Y, Seo Y, Isohashi F, Suzuki O, Yoshioka Y, Sumida I, Ogawa K. Phase 2 study of docetaxel, cisplatin, and concurrent radiation for technically resectable stage III-IV squamous cell carcinoma of the head and neck. *Int J Radiat Oncol Biol Phys* 2015;91:934-41

- (9) Ishiyama H, Satoh T, Yorozu A, Saito S, Kataoka M, Hashine K, Nakamura R, Tanji S, Masui K, Okihara K, Ohashi T, Momma T, Aoki M, Miki K, Kato M, Morita M, Katayama N, Nasu Y, Kawanaka T, Fukumori T, Ito F, Shiroki R, Baba H, Inadome A, Yoshioka Y, Takayama H, Hayakawa K. Multi-institutional retrospective analysis of learning curves on dosimetry and operation time before and after introduction of intraoperatively built custom-linked seeds in prostate brachytherapy. *J Radiat Res* 2015; in press
- (10) Isohashi F, Mabuchi S, Yoshioka Y, Seo Y, Suzuki O, Tamari K, Yamashita M, Unno H, Kinose Y, Kozasa K, Sumida I, Otani Y, Kimura T, Ogawa K. Intensity-modulated radiation therapy versus three-dimensional conformal radiation therapy with concurrent nedaplatin-based chemotherapy after radical hysterectomy for uterine cervical cancer: comparison of outcomes, complications, and dose-volume histogram parameters. *Radiat Oncol* 2015;10:180
- (11) Kanayama N, Isohashi F, Yoshioka Y, Baek S, Chatani M, Kotsuma T, Tanaka E, Yoshida K, Seo Y, Suzuki O, Mabuchi S, Shiki Y, Tatsumi K, Kimura T, Teshima T, Ogawa K. Definitive radiotherapy for primary vaginal cancer: correlation between treatment patterns and recurrence rate. *J Radiat Res* 2015;56:346-53
- (12) Kanayama N, Nishiyama K, Kawaguchi Y, Konishi K, Ogawa K, Suzuki M, Yoshii T, Fujii T, Yoshino K, Teshima T. Selective neck irradiation for supraglottic cancer: Focus on sublevel IIb omission, *Japanese Journal of Clinical Oncology*, in press.
- (13) Kawaguchi Y, Nishiyama K, Hirata T, Konishi K, Otozai S, Suzuki M, Yoshii T, Fujii T, Teshima T. Treatment outcomes of external-beam radiotherapy for squamous cell carcinoma of the base of the tongue. *Int. J. Clin. Oncol.* 20(5):891-6, 2015
- (14) Kobayashi S, Gotoh K, Takahashi H, Akita H, Marubashi S, Yamada T, Teshima T, Nishiyama K, Yano M, Ohigashi H, Ishikawa O, Sakon M. Clinicopathological features of surgically-resected biliary tract cancer following chemo-radiation therapy. *Anticancer Research*, in press.
- (15) Kurosu K, Sumida I, Mizuno H, Otani Y, Oda M, Isohashi F, Seo Y, Suzuki O, Ogawa K. Curtailing patient-specific IMRT QA procedures from 2D dose error distribution. *J Radiat Res.* 9. pii: rrv084, 2015
- (16) Maruoka S, Yoshioka Y, Isohashi F, Suzuki O, Seo Y, Otani Y, Akino Y, Takahashi Y, Sumida I, Ogawa K. Correlation between patients' anatomical characteristics and interfractional internal prostate motion during intensity modulated radiation therapy for prostate cancer. *Springerplus* 2015;4:579
- (17) Naito A, Yamamoto H, Kagawa Y, Naito Y, Okuzaki D, Otani K, Iwamoto Y, Maeda S, Kikuta J, Nishikawa K, Uemura M, Nishimura J, Hata T, Takemasa I, Mizushima T, Ishii H, Doki Y, Mori M, Ishii M, RFPL4A Increases the G1 Population and Decreases

Sensitivity to Chemotherapy in Human Colorectal Cancer Cells, The Journal of Biological Chemistry 290(10):6326-37, 2015

- (18) Nishiyama K, Kodama K, Teshima T, Tada H. Stereotactic body radiotherapy for second pulmonary nodules after operation for an initial lung cancer. Jpn. J. Clin. Oncol. 45(10): 947-52, 2015
- (19) Nose T, Otani Y ,Asahi S, Tsukiyama I, Dokiya T, Saeki T,Fukuda I, Sekine H, Shikama N, Kumazaki Y, Takahashi T, Yoshida K, Kotsuma T, Masuda N, Yoden E, Nakashima K, Matsumura T, Nakagawa S, Tachiiri S, Moriguchi Y, Itami J, Oguchi M. A Japanese prospective multi-institutional feasibility study on accelerated partial breast irradiation using interstitial brachytherapy: clinical results with a median follow-up of 26 months. Breast cancer, in press.
- (20) Ohira S, Ueda Y, Hashimoto M, Miyazaki M, Isono M, Kamikaseda H, Masaoka A, Takashina M, Koizumi M, Teshima T. VMAT-SBRT planning based on an average intensity projection for lung tumors located in close proximity to the diaphragm: a phantom and clinical validity study. J Radiat Res, in pres.
- (21) Ohira S, Ueda Y, Nishiyama K, Miyazaki M, Isono M, Tsujii K, Takashina M, Koizumi M, Kawanabe K, Teshima T. Couch height-based patient setup for abdominal radiation therapy. Med Dosim, in press.
- (22) Ota S, Monzen H, Sumida I, Yoshioka Y, Kado R, Inoue S, Ogawa K, Nishimura Y. Quality improvement in external radiation therapy using a departmental incident-reporting system and multidisciplinary team efforts. J Nucl Med Radiat Ther 2015;6:243
- (23) Otani Y, Nose T, Dokiya T, Saeki T, Kumazaki Y, Asahi S, Tsukiyama I, Fukuda I, Sekine H, Shikama N, Takahashi T, Yoshida K, Kotsuma T, Masuda N, Yoden E, Nakashima K, Matsumura T, Nakagawa S, Tachiiri S, Moriguchi Y, Itami J, Oguchi M. A Japanese prospective multi-institutional feasibility study on accelerated partial breast irradiation using interstitial brachytherapy: treatment planning and quality assurance. Radiat Oncol. 2015;10:126.
- (24) Shimamoto H, Sumida I, Kakimoto N, Marutani K, Okahata R, Usami A, Tsujimoto T, Murakami S, Furukawa S, Tetradis S. Evaluation of the scatter doses in the direction of the buccal mucosa from dental metals. J Appl Clin Med Phys. 16(3):233-243, 2015.
- (25) Sumida I, Yamaguchi H, Kizaki H, Aboshi K, Tsujii M, Yoshikawa N, Yamada Y, Suzuki Q, Seo Y, Isohashi F, Yoshioka Y, Ogawa K. Novel radiobiological gamma index for evaluation of 3-dimensional predicted dose distribution. Int J Radiat Oncol Biol Phys 2015;92:779-86

- (26) Sumida I, Yamaguchi H, Kizaki H, Aboshi K, Tsujii M, Yamada Y, Yagi M, Ogawa K. Incorporation of gantry angle correction for three-dimensional dose prediction in intensity-modulated radiation therapy. *J Radiat Res.* 56(3):594-605, 2015.
- (27) Tamari K, Suzuki O, Hashimoto N, Kagawa N, Fujiwara M, Sumida I, Seo Y, Isohashi F, Yoshioka Y, Yoshimine T, Ogawa K. Treatment outcomes using CyberKnife for brain metastases from lung cancer. *J Radiat Res* 2015;56:151-8
- (28) Tsudou S., Takegawa H., Ueda Y., Miyazaki M., Nakashima R., Suga M., Numasaki H., Takashina M., Koizumi M., Teshima T., Nishiyama K. Accumulated dose of intensity-modulated radiotherapy for head and neck cancer using deformable registration of two sets of computed tomography images. *Nucl. Med. Rad. Therapy*, in press.
- (29) Ueda Y., Oohira S., Isono M., Miyazaki M., Teshima T. Asymmetric margin setting at the cranial and caudal sides in respiratory gated and non-gated stereotactic body radiotherapy for lung cancer. *BJR*, in press.
- (30) Uehara S, Oue T, Adachi K, Yoshioka Y, Nakahata K, Ueno T, Okuyama H. Tissue expander placement to prevent the adverse intestinal effects of radiotherapy in malignant pelvic tumors. *J Pediatr Hematol Oncol* 2015; in press
- (31) Wakai N, Sumida I, Otani Y, Suzuki O, Seo Y, Isohashi F, Yoshioka Y, Hasegawa M, Ogawa K. Optimization of leaf margins for lung stereotactic body radiotherapy using a flattening filter-free beam. *Med Phys* 2015;42:2125-31
- (32) Yamazaki H, Ogita M, Hime K, Nakamura S, Kotsuma T, Yoshida K, Yoshioka Y. Carotid blowout syndrome in pharyngeal cancer patients treated by hypofractionated stereotactic re-irradiation using CyberKnife: A multi-institutional matched-cohort analysis. *Radiother Oncol* 2015;115:67-71
- (33) Yamazaki H, Nakamura S, Suzuki G, Yoshida K, Yoshioka Y, Koizumi M, Ogawa K. Hypofractionated radiotherapy for localized prostate cancer: A challenging accelerated hypofractionated radiotherapy. *Anticancer Res* 2015;35:5167-77
- (34) Yamazaki H, Ogita M, Hime K, Nakamura S, Suzuki G, Kotsuma T, Yoshida K, Yoshioka Y. Predictive value of skin invasion in recurrent head and neck cancer patients treated by hypofractionated stereotactic re-irradiation using a cyberknife. *Radiat Oncol* 2015;10:210
- (35) Yamazaki H, Nakamura S, Aibe N, Nishimura T, Yoshida K. In regard to Morganti et al. *Int J Radiat Oncol Biol Phys.* 2015;91:876.
- (36) Yamazaki H, Nakamura S, Aibe N, Nishimura T, Nakashima A, Yoshida K. In regard to Brink et al. *Int J Radiat Oncol Biol Phys.* 2015;91:244-5.
- (37) Yamazaki H, Nakamura S, Suzuki G, Aibe N, Yoshida K. Superiority of charged particle therapy in treatment of hepatocellular carcinoma (Regarding Qi W.X. et al. charged

particle therapy versus photon therapy for patients with hepatocellular carcinoma: A systematic review and meta-analysis). Radiother Oncol, in press.

- (38) Yashiro K, Iwata A, Takada K, Murakami S, Uchiyama Y, Furukawa S. Temporomandibular joint articulations on working side during chewing in adult females with cross-bite and mandibular asymmetry. *J Oral Rehabil*. 42(3): 163-72, 2015
- (39) Yashiro K, Yamamoto K, Takada K, Murakami S, Uchiyama Y, Furukawa S. Influence of balancing-side occlusal interference on smoothness of working-side condylar movement and intra-articular space in chewing efforts. *J Oral Rehabil*. 42(1): 10-7, 2015
- (40) Yoshida K, Yamazaki H, Takenaka T, Kotsuma T, Miyake S, Mikami Ueda M, Yoshida M, Masui K, Yoshioka Y, Uesugi Y, Shimbo T, Yoshikawa N, Yoshioka H, Aramoto K, Narumi Y, Yamada S, Tatsumi K, Tanaka E. Preliminary results of MRI-assisted high-dose-rate interstitial brachytherapy for uterine cervical cancer. *Brachytherapy* 2015;14:1-8
- (41) Yoshida K, Yamazaki H, Kotsuma T, Takenaka T, Masui K, Yoshioka Y, Uesugi Y, Shimbo T, Yoshikawa N, Yoshioka H, Narumi Y, Tatsumi K, Tanaka E. Treatment results of image-guided high-dose-rate interstitial brachytherapy for pelvic recurrence of uterine cancer. *Brachytherapy* 2015;14:440-8
- (42) Yoshida K, Yamazaki H, Nakamura S, Masui K, Kotsuma T, Akiyama H, Tanaka E, Yoshikawa N, Uesugi Y, Shimbo T, Narumi Y, Yoshioka Y. Role of vaginal pallor reaction in predicting late vaginal stenosis after high-dose-rate brachytherapy in treatment-naive patients with cervical cancer. *J Gynecol Oncol* 2015;26:179-84
- (43) Yoshida K, Yamazaki H, Kotsuma T, Takenaka T, Ueda MM, Miyake S, Tsujimoto Y, Masui K, Yoshioka Y, Sumida I, Uesugi Y, Shimbo T, Yoshikawa N, Yoshioka H, Tanaka E, Narumi Y. Simulation analysis of optimized brachytherapy for uterine cervical cancer: Can we select the best brachytherapy modality depending on tumor size? *Brachytherapy*, in press/
- (44) Yoshioka Y. Editorial Comment to Therapeutic outcomes of neoadjuvant and concurrent androgen-deprivation therapy and intensity-modulated radiation therapy with gold marker implantation for intermediate-risk and high-risk prostate cancer. *Int J Urol* 2015;22:482-3
- (45) Yoshioka Y, Suzuki O, Isohashi F, Seo Y, Okubo H, Yamaguchi H, Oda M, Otani Y, Sumida I, Uemura M, Fujita K, Nagahara A, Ujike T, Kawashima A, Yoshida K, Yamazaki H, Nonomura N, Ogawa K. High-dose-rate brachytherapy as monotherapy for intermediate- and high-risk prostate cancer: Clinical results for a median 8-year follow-up. *Int J Radiat Oncol Biol Phys* 2015; in press